

FROM THE DESK OF:
THOMAS R. BEALL
PATENT PORTFOLIO MANAGER
CORNING LIFE SCIENCES
CORNING DISPLAY TECHNOLOGIES
CORNING INCORPORATED
SP-TI -03-1
CORNING, NY 14831
TELEPHONE: 607-974-3921
FACSIMILE: 607-974-3848
E-MAIL: bealltr@corning.com

RECEIVED
CENTRAL FAX CENTER
JUL 18 2005

CORNING
INCORPORATED

Fax

To:	Melanie J. Yu	Company:	U.S. Patent Office
Fax:	(703) 872-9306	Pages:	16
Phone:	(571) 272-2933	Date:	July 18, 2005
Re:	Our Ref.: SP03-091/TRB/CLS-DNAP Serial No. 10/629,444	CC:	

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

● **Comments:**

Attached herewith is a copy of the May 25, 2005, office action response and Bruce Aitken Affidavit for discussion purposes.

CONFIDENTIAL AND PRIVILEGED NOTICE

The information contained in this facsimile is intended for the named recipient(s) only. It may contain PRIVILEGED or CONFIDENTIAL matter. If you receive this facsimile in error, please notify us immediately and we will arrange the return of this document to us. Please do not review this document or disclose its contents to anyone. Thank you.

BEST AVAILABLE COPY

RECEIVED
CENTRAL FAX CENTER
JUL 18 2005

FOR DISCUSSION PURPOSES ONLY

ATTORNEY DOCKET NO.: SP03-091

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: Paul Stephen Danielson, et al.

Serial No: 10/629444

Group Art Unit:

Filing Date: July 29, 2003

Examiner:

Title: POROUS
SUBSTRATES
REDUCED
FLORESCENCEGLASS
WITH
AUTO-**DUE 07-25-2005**

Mail Stop Amendment
Commissioner of Patents
Alexandria, VA 22313-1450

RESPONSE TO THE EXAMINER'S OFFICE ACTION

In reply to the Office Action dated May 27, 2005, designated as Paper No. xxx in the above-captioned application, please enter the following [amendments and] Remarks as follows:

Revised: March 7, 2000